



Ø 75 mm Diamond cutting blade

Type: Atlas Copco LSV 27 / LSV 28 ST12

Applications: Cutting of reinforced plastics (GRP) Cutting depth 15mm.

Suction requirement: 200m³/h

Vacuum hose: ø 32mm

Attachment kit Art. No: 400650

Parts in attachment kit:
 303560 Manifold incl screws
 272310 Cover incl screws
 509160 Spacing nut 10,5mm
 509200 Lock nut

Accessories:
 507300 Diamond blade 75mm D=12mm
 507310 Diamond blade 75mm with side spokes

Hose kit Art. No: 273250



Ø 125 mm Fibre disc



Ø 180 mm Fibre disc

Type: Atlas Copco LSV 27 / LSV 28 S 040 S 060

Applications: Grinding and sanding of metal, plastics, wood etc

Suction requirement: 250m³/h

Vacuum hose: ø 38mm

Attachment kit Art. No: 400780 125mm

400790 180mm

Parts in attachment kit:	310040 Manifold incl screws	310040
	265020 Push fit hood with brush	267500
	272160 Spacer 12mm	272160
	271030 Backing up pad	271060
	272200 Flange nut	272200

Accessories: 990271 Pin wrench

Hose kit Art. No: 273260



Ø 125 mm Fibre disc

Type: Atlas Copco LSV 27 ST12 / LSV 28 ST12 / G2409 / LSV36 ST12

Applications: Grinding and sanding of metal, plastics, wood etc

Suction requirement: 250m³/h

Vacuum hose: ø 38mm

Attachment kit Art. No: 400860

Parts in attachment kit:

310110 Manifold incl screws
278050 Spindle
265020 Push fit hood with brush
272150 Spacer 9mm
271030 Backing up pad
272200 Flange nut 5/8"

Accessories: 990271 Pin wrench

Hose kit Art. No: 273260



Ø 125mm Fibre disc

Type: Atlas Copco LSV 38 ST12 12000rpm

Applications: Grinding and sanding of metal, plastics, wood etc

Suction requirement: 250m³/h

Vacuum hose: ø 38mm

Attachment kit Art. No: 400863

Parts in attachment kit:

- 310352 Manifold incl screws
- 265020 Push fit hood with brush
- 272720 Spacer 12,5
- 271050 Backing up pad
- 272682 Flange nut M14 H25

Accessories:

- 990271 Pin wrench
- 50192890 Adapter(buy from Atlas Copco)**

Hose kit Art. No: 273260



Ø 125mm Depressed centre wheel

Type: Atlas Copco LSV 38 D120 12000rpm Art no 8423080002

Applications: Grinding of weld joints, sheet metal, castings, concrete etc

Suction requirement: 250m³/h

Vacuum hose: ø 38mm


Attachment kit Art. No: 400873

Parts in attachment kit:

- 310352 Manifold incl screws
- 272643 Steel wheel guard
- 250020 Push fit hood
- 272140 Spacer 6mm
- 279950 Flange nut set

Accessories: 990271 Pin wrench

Hose kit Art. No: 273260



Ø 125mm Diamond cutting blade

Type: Atlas Copco LSV 38 D120 12000rpm Art no 8423080002

Applications: Cutting of reinforced plastic(GRP) cutting depth 30mm
With cutting depth adjustment.

Suction requirement: 250m³/h

Vacuum hose: ø 38mm

Attachment kit Art. No: 400874

Parts in attachment kit:
310353 Manifold incl screws
273230 Gable cover plate compl.
272162 Spacer 21mm
272670 Flange nut 5/8"

Accessories:
507461 Diamond blade 125mm D=22,2mm
With side spokes
990271 Pin wrench

Hose kit Art. No: 273260



Ø 180 mm Fibre disc

**Type: Atlas Copco LSV 38 D085 8500 rpm Art no 8423080003
LSV 38 D066 6600 rpm Art no 8423080004**

Applications: Grinding and sanding of metal, plastics and wood etc.

Suction requirement: 250 m³/h

Vacuum hose: ø 38 mm

Attachment kit Art.No: 400884

Parts in attachment kit: 310352 Manifold incl screws
267500 Push fit hood with brush
272150 Spacer 9mm
271060 Backing up disc
272670 Flanged nut 5/8"

Accessories: 990271 Pin key

Hose kit Art. No: 273260



Ø 125mm Fibre disc

Type: Atlas Copco LSV 38 D120 12000rpm art No 8423080002
Type: Atlas Copco LSV 38 D085 8500rpm art No 8423080003

Applications: Grinding and sanding of metal, plastics, wood etc

Suction requirement: 250m³/h

Vacuum hose: ø 38mm

Attachment kit Art. No: 400885

Parts in attachment kit:
310352 Manifold incl screws
265020 Push fit hood with brush
272150 Spacer 9
271030 Backing up pad
272670 Flange nut 5/8" high 13mm

Accessories: 990271 Pin wrench

Hose kit Art. No: 273260



Ø 125mm Fibre disc

Type: Atlas Copco LSV 38 D120 12000rpm art No 8423080002

Type: Atlas Copco LSV 38 D085 8500rpm art No 8423080003

Applications: Grinding and sanding of metal, plastics, wood etc

Suction requirement: 250m³/h

Vacuum hose: ø 38mm

Attachment kit Art. No: 400885

Parts in attachment kit:

- 310352 Manifold incl screws
- 265020 Push fit hood with brush
- 272150 Spacer 9
- 271030 Backing up pad
- 272670 Flange nut 5/8" high 13mm

Accessories: 990271 Pin wrench

Hose kit Art. No: 273260



Straight type tool with Ø 75 mm Diamond Tipped Cutting Blade

Type: Atlas Copco LSF 28 S

Applications: Cutting of reinforced plastic (GRP). Cutting depth 15 mm.

Suction requirement: 200m³/h

Vacuum hose: ø 32mm

Attachment kit Art. No: 401150

Parts in attachment kit:

- 273160 Adapter incl. screws
- 303520 Manifold incl. screws
- 272310 Cover
- 509100 Spindle ø 8 mm
- 509160 Spacing nut
- 509200 Lock nut

Accessories:

- 507300 Diamond tipped cutting blade ø 75 mm
- 279940 Cutting depth adjustment kit (5 pcs)

Hose kit Art. No: 272430



Ø 27mm Diamond cylinder

Type: Atlas Copco LSF 17

Applications: grinding of reinforced plastic (GRP)

Suction requirement: 125m³/h

Vacuum hose: ø 25mm

Attachment kit Art. No: 401160

Parts in attachment kit:
 301520 Manifold incl, screws
 509030 Spindle 6x82mm
 509060 Lock screw

Accessories: 503300 Diamond coated cyl D=27mm

Hose kit Art. No: 273240



Ø 27mm Diamond cylinder

Type: Atlas Copco LSF 18

Applications: grinding of reinforced plastic (GRP)

Suction requirement: 125m³/h


Vacuum hose: ø 25mm

Attachment kit Art. No: 401161

Parts in attachment kit:
301522 Manifold incl, screws
509030 Spindle 6x82mm
509060 Lock screw

Accessories: 503300 Diamond coated cyl D=27mm

Hose kit Art. No: 273240



Ø 50mm Diamond cylinder

Type: Atlas Copco LSF 28 S120 (8423123567)

Applications: grinding of reinforced plastic (GRP)

Suction requirement: 200m³/h

Vacuum hose: ø 32mm

Attachment kit Art. No: 401171

Parts in attachment kit:

- 330051 Manifold incl, screws
- xxxxxxx Steel ribbon 130mm
- 509100 Spindle 8x60mm
- 509150 Spacing nut
- 509200 Lock screw

Accessories:

- 503500 Diamond coated cyl D=50mm
- 50 0074 00 Collets 8mm**

Hose kit Art. No: 273250



LSF 27 use without steel ribbon



LSF 28 use with steel ribbon

Ø 6-8 mm Diamond burr

Type: Atlas Copco LSF 27 / 28 S180. S250

Applications: Drilling and deburring holes in reinforced plastic (GRP)

Suction requirement: 200m³/h

Vacuum hose: ø 32mm

Attachment kit Art. No: 400741

Parts in attachment kit:
330051 Manifold incl screws
xxxxxxx Steel ribbon 160mm
273010 Nozzle

Accessories: 501370 Diamond burr 6x16 shaft 60mm

Hose kit Art. No: 273250



Drilling \varnothing 0,1-10,0mm

Type: Atlas Copco LBB33, LBB34, LBB36

Applications: High precision drilling.

Suction requirement: 200m³/h

Vacuum hose: \varnothing 32mm

Attachment kit Art. No: 401850

Parts in attachment kit:

302140 Manifold incl screws

273010 Nozzle

160100 Hose FS-25 m.spiral (L=60mm)

Accessories:

Hose kit Art. No: 273240



Ø 180 mm Fibre disc

Type: Atlas Copco LSV 28 S021 **2100 Rpm**

Applications: Grinding and sanding of metal, plastics, wood etc

Suction requirement: 250m³/h **Vacuum hose:** ø 38mm

Attachment kit Art. No: 403160

Parts in attachment kit:
310150 Manifold incl screws
267500 Push fit hood with brush
272160 Spacer
271060 Backing up pad
272670 Flange nut 5/8" H13

Accessories: 990271 Pin wrench

xxxxxxx Alternative pad 3M / AC no 4150196281



Hose kit Art. No: 273260



Ø 180 mm Depressed centre wheel

Type: Atlas Copco GTG 21 D085 8500rpm Art no 8423080001

Applications: Grinding of weld joints, sheet metal, castings
concrete etc

Suction requirement: 250 m³/h

Vacuum hose: ø 38 mm

Attachment kit Art. No: 409021

Parts in attachment kit: 310352 Manifold
272650 Steel wheel guard compl.
250010 Push fit hood
279950 Flanged nut set

Accessories: 990271 Pin key

Hose kit Art. No: 273260



Ø 180 mm Depressed centre wheel

Type: Atlas Copco GTG 21 D085 8500rpm Art no 8423080001

Applications: Grinding of weld joints, sheet metal, castings
concrete etc

Suction requirement: 250 m³/h


Vacuum hose: ø 38 mm

Attachment kit Art. No: 409021

Parts in attachment kit: 310352 Manifold
272650 Steel wheel guard compl.
250010 Push fit hood
279950 Flanged nut set

Accessories: 990271 Pin key

Hose kit Art. No: 273260



Ø 180mm Diamond cutting blade

Type: Atlas Copco GTG 21 D085 8500rpm Art no 8423080001

Applications: Cutting of reinforced plastics(GRP) Cutting depth 50mm
With cutting depth adjustment

Suction requirement: 250 m³/h **Vacuum hose:** ø 38mm

Attachment kit Art. No: 409022

Parts in attachment kit:
310353 Manifold incl screws
279950 Flange nut set
273220 Gable cover plate compl 180mm

Accessories:
990271 Pin wrench
507462 Diamond blade 180mm D=22,2mm
with side spokes

Hose kit Art. no: 273260



Ø 125mm Depressed centre wheel

Type: Atlas Copco GTG 21 D120 12000rpm Art no 8423080000

Applications: Grinding of weld joints, sheet metal, castings, concrete etc

Suction requirement: 250 m³/h **Vacuum hose:** ø 38mm

Attachment kit Art. No: 409023

Parts in attachment kit:
310352 Manifold incl screws
272643 Steel wheel guard
250020 Push fit hood
279950 Flange nut set

Accessories: 990271 Pin wrench

Hose kit Art. no: 273260



Ø 125 mm Fibre disc

Type: Atlas Copco GTG 21 D120 12000rpm Art no 8423080000

Type: Atlas Copco GTG 21 D085 8500rpm Art no 8423080001

Applications: Grinding and sanding of metal, plastics, wood etc

Suction requirement: 250m³/h

Vacuum hose: ø 38mm



Attachment kit Art. No: 409024

Parts in attachment kit:

- 310352 Manifold incl screws
- 265020 Push fit hood with brush
- 272140 Spacer 6mm
- 271030 Backing up pad
- 272670 Flange nut 5/8 H13

Accessories: 990271 Pin wrench

Hose kit Art. No: 273260



Ø 125mm Diamond cutting blade

Type: Atlas Copco GTG 21 D120 12000rpm Art no 8423080000

Applications: Cutting of reinforced plastic(GRP) cutting depth 30mm
With cutting dept adjustment

Suction requirement: 250 m³/h **Vacuum hose:** ø 38mm

Attachment kit Art. No: 409025

Parts in attachment kit:
310353 Manifold incl screws
273230 Gable cover plate compl 125mm
279950 Flange nut set

Accessories:
990271 Pin wrench
507461 Diamond blade 125mm D=22,2
with side spokes

Hose kit Art. no: 273260



Ø 180 mm Fibre disc

Type: Atlas Copco GTG 21 D085 8500rpm Art no 8423080001

Applications: Grinding and sanding of metal. Plastic and wood etc.

Suction requirement: 250 m³/h

Vacuum hose: ø 38 mm

Attachment kit Art. No 409026

Parts in attachment kit:

- 310352 Manifold
- 267500 Push fit hood brush
- 271060 Backing up disc ø 180mm
- 272140 Spacer 6mm
- 272200 Flanged nut 5/8"

Accessories: 990271 Pin key

Hose kit Art. No: 273260



Ø 180 mm Fibre disc

Type: Atlas Copco LSV 48 SA066 6600rpm Art no 8423013200

Type: Atlas Copco LSV 48 SA085 8500rpm Art no 8423013202

Applications: Grinding and sanding of metal, plastics, wood etc

Suction requirement: 250m³/h

Vacuum hose: ø 38mm



Attachment kit Art. No: 409340

Parts in attachment kit:

- 310351 Manifold
- 267500 Push fit hood with brush
- 272150 Spacer 9mm
- 271060 Backing up pad
- 272670 Flange nut 5/8

Accessories: 990271 Pin wrench

Hose kit Art. No: 273260



Ø 180 mm Diamond blade

Type: Atlas Copco LSV 48 SA085 8500rpm Art no 8423013202

Applications: Cutting of reinforced plastics (GPR) cutting depth 50mm
With cutting depth adjustment.

Suction requirement: 250m³/h

Vacuum hose: ø 38mm

Attachment kit Art. No: 409342

Parts in attachment kit:
310354 Manifold incl screws.
273220 Gable cover plate compl
272660 Spacer 10mm
279950 Flange nut set.

Accessories:
990271 Pin wrench
507462 Diamond blade 180mm with side spokes

Hose kit Art. No: 273260