



Ø 180mm Fibre disc

Type: Metabo W / WX 21-180/230 / 23 W / WX 23-180/230

Applications: Grinding and sanding of metal, plastics, wood etc

Suction requirement: 250m³/h

Vacuum hose: ø 38mm

Attachment kit Art. No: 401940

Parts in attachment kit:

- 316040 Manifold incl screws
- 990220 Allen key 2,5mm
- 267500 Push fit hood with brush
- 271060 Backing up pad
- 273340 Flange nut M14 H13

Accessories: 990271 Pin wrench

Hose kit Art. No: 273260



Ø 180mm Depressed centre wheel

Type: Metabo W_WX 21-180/230 W_WX 21-180/230

Applications: Grinding of weld joints, sheet metal, castings, concrete etc

Suction requirement: 250 m³/h **Vacuum hose:** ø 38mm

Attachment kit Art. No: 402120

Parts in attachment kit:

- 316040 Manifold incl screws
- 990220 Allen key 2,5mm
- 272650 Steel wheel guard
- 250010 Push fit hood
- 272170 Spacer 4mm

xxxxxxx Use. Original flange nuts

Accessories: xxxxxxxx

Hose kit Art. no: 273260



Ø 125mm Depressed centre wheel

Type: Metabo WP 7-125Q, WPS 7-125Q, W 8-125, W 8-125Q, WE 9-125Q, W 11-125Q, W 14-125 Ergo, WE 14-125 plus

Applications: Grinding of weld joints, sheet metal, castings, concrete etc

Suction requirement: 250 m³/h **Vacuum hose:** ø 38mm


Attachment kit Art. No: 409070

Parts in attachment kit:

- 312210 Manifold incl screws
- 272643 Steel wheel guard 125
- 250020 Push fit hood
- 272710 Spacer 15 mm
- 272690 Flange nut M14 H19

Accessories: 990271 Pin key

Hose kit Art. no: 273260



Ø 125 mm Fibre disc

Type: Metabo WP7-125Q, WPS 7-125Q, W8-125, W8-125Q, WE 9-125Q
 W 11-125Q, W14-125 Ergo, WE 14-125 plus. Not for WB

Applications: Grinding and sanding of metal, plastics, wood etc

Suction requirement: 250m³/h

Vacuum hose: ø 38mm

Attachment kit Art. No: 409071

Parts in attachment kit:

- 312210 Manifold incl screws
- 265020 Push fit hood with brush
- 272710 Spacer 15mm
- 271050 Backing up pad hole 22,2
- 272682 Flange nut M14 H25

Accessories: 990271 Pin wrench

Hose kit Art. No: 273260



Ø 125 mm Diamond cup Wheel

Type: Metabo WE 14-125 plus / WEA 14-125 plus

Applications: Grinding of castings and concrete

Suction requirement: 250m³/h

Vacuum hose: ø 38mm

Attachment kit Art. No: 409230

Parts in attachment kit:

312210 Manifold incl screws
 265025 Push fit hood with cover complete
 278212 handle incl screws and washer
 272710 Spacer 15mm
 272700 nut M14 high 16
 990271 Pin key
 xxxxxxxx Hose FS 38mm m spiral 0,5m
 151050 M40-38P hose coupler
 151020 F40-50P hose coupler

Accessories: 507600 Diamond wheel 125mm

Hose kit Art. No: 273260