

Ø 125mm Fibre disc

Type: Uryu USG 5 VL

Applications: Grinding and sanding of metal, plastics, wood etc

Suction requirement: 250m³/h

Vacuum hose: ø 38mm

Attachment kit Art. No: 400080

Parts in attachment kit:

- 310070 Manifold incl screws
- 265020 Push fit hood
- 271030 backing up pad
- 911500 Screw MC6S M8x25 fzb

(Replace original screw flanged nut)

Accessories:

Hose kit Art. No: 273260



Ø 125mm Depressed centre wheel

Type: Uryu USG 5VL

Applications: Grinding of weld joints, sheet metal, castings, concrete etc

Suction requirement: 250m³/h

Vacuum hose: ø 38mm

Attachment kit Art. No: 400090

Parts in attachment kit:

- 310070 Manifold incl. screws
- 272643 Wheel guard 125mm
- 250020 Push fit hood
- 272660 Spacer
- 911500 Screw MC6S M8x25 fzb

(Replace original screw flange nut)

Accessories:

Hose kit Art. No: 273260



Ø 75mm Fibre disc

Type: Uryu USG 45 P

Applications: Light sanding

Suction requirement: 200 m³/h

Vacuum hose: ø 32mm

Attachment kit Art. No: 400210

Parts in attachment kit:

- 272990 Adapter
- 910970 Screw m4x6 (5psc)
- 272290 Spacer for carrier pin
- 509170 Spacer H=8,5mm
- 301260 Manifold
- 272180 Bracket
- 911060 Screw M5x10 (2pcs)
- 272190 Sector gate incl screw M4x6
- 271020 Backing up disc 65mm
- 911250 Screw m5x10 (1psc)

Accessories: 490010 Disc head

Hose kit Art. No: 272430



Ø 100mm Diamond-tipped cutting blade

Type: Uryu UAG 40 SBL / UAG 50 SBL

Applications: Cutting of reinforced plastics (GRP). Cutting depth 25mm

Suction requirement: 200m³/h

Vacuum hose: ø 32mm

Attachment kit Art. No: 401390

Parts in attachment kit:

- 304130 Manifold incl screws
- 990220 Wrench
- 509160 Spacer
- 509200 Flange nut
- 272320 Cover

Accessories:

Hose kit Art. No: 273250



Ø 125mm Fibre disc

Type: Uryu UAG 50 SBL

Applications: Grinding and sanding of metal, plastics, wood and paint etc.

Suction requirement: 250m³/h

Vacuum hose: ø 38mm

Attachment kit Art. No: 401400

Parts in attachment kit:

- 315120 Manifold incl screws
- 990220 Wrench
- 265020 Push fit hood with brush
- 278050 Spindle 5/8"
- 272150 Spacer
- 271030 backing up pad
- 272670 Flange nut

Accessories: 990271 Pin key

Hose kit Art. No: 273260

2005-03-04



Ø 125mm Fibre disc

Type: Uryu UAG 50 SCL 120

Applications: Grinding and sanding of metal, plastics and wood

Suction requirement: 250m³/h

Vacuum hose: ø 38mm

Attachment kit art. No: 401401

Parts In attachment kit:

315120 Manifold incl. screws
990220 Hexagon wrench 2,5
01559 Spindle
265020 Push fit hood with brush
272150 Spacer 9mm
271030 Backing up pad
272200 Flanged nut

Accessories: 990271 pin key

Hose kit Art. No: 273260



Ø 125mm Depressed centre wheel

Type: Uryu UAG 50 SBL

Applications: Grinding of weld joints, sheet metal, castings, concrete etc

Suction requirement: 250m³/h

Vacuum hose: ø 38mm

Attachment kit Art. No: 401410


Parts in attachment kit:

- 315120 Manifold incl. screws
- 990220 Hexagon wrench
- 272643 Wheel guard 125mm
- 250020 Push fit hood
- 278050 Spindle 5/8"
- 278120 Spacer
- 272200 Flange nut 5/8"

Accessories: 990271 Pin key

Hose kit Art. No: 273260

2005-03-04



Ø 125mm Depressed centre wheel

Type: Uryu UAG 50 SCL 120

Applications: Grinding of weld joints, sheet metal, castings, concrete etc

Suction requirement: 250m³/h

Vacuum hose: ø 38mm


Attachment kit art. No: 401411

Parts In attachment kit:

315120 Manifold incl. screws
990220 Hexagon wrench 2,5
272643 Wheel guard
01559 Spindle
250020 Push fit hood
272710 Spacer
272670 Flange nut

Accessories: 990271 pin key

Hose kit Art. No: 273260



Ø 180mm Fibre disc

Type: Uryu UAG 70 SBL

Applications: Grinding and sanding of metal, plastic, wood etc

Suction requirement: 250m³/h

Vacuum hose: ø 38mm

Attachment kit Art. No: 401430

Parts in attachment kit:

- 312060 Manifold incl screws
- 990220 Hexagon wrench
- 267500 Push fit hood with brush
- 271060 Backing up pad
- 272160 Spacer 12mm
- 272670 Flange nut 5/8"

Accessories: 990271 Pin key

Hose kit Art. No: 273260



Ø 180mm Depressed centre wheel

Type: Uryu UAG 70 SBL

Applications: Grinding of weld joints, sheet metal, castings, concrete etc

Suction requirement: 250m³/h

Vacuum hose: ø 38mm


Attachment kit Art. No: 401440

Parts in attachment kit:

- 312061 Manifold incl. screws
- 990220 Hexagon wrench
- 272650 Wheel guard
- 250010 Push fit hood

Accessories:

Hose kit Art. No: 273260



Ø 180mm Fibre disc

Type: Uryu AG 180W

Applications: Grinding and sanding of metal, plastics, wood etc

Suction requirement: 250m³/h

Vacuum hose: ø 38mm


Attachment kit Art. No: 401460

Parts in attachment kit:

- 312050 Manifold incl. screws
- 990220 Wrench
- 267500 Push fit hood with brush
- 272160 Spacer
- 271060 backing up pad
- 272670 Flange nut

Accessories: 990271 Pin key

Hose kit Art. No: 273260



Ø125mm Diamond tipped-cutting blade

Type: Uryu AG 180W

Applications: Cutting of reinforced plastics (GRP)

Cutting depth 30mm

Suction requirement: 250m³/h

Vacuum hose: ø 38mm

Attachment kit Art. No: 401461

Parts in attachment kit:
312050 Manifold incl screws
990220 Wrench
273230 Gable cover plate compl.

Accessories:

Hose kit Art. No: 272440



Ø 180mm Fibre disc

Type: Uryu UVG 1800

Applications: Grinding and sanding of metal, plastics, wood etc

Suction requirement: 250m³/h

Vacuum hose: ø 38mm


Attachment kit Art. No: 401500

Parts in attachment kit:

- 313270 Manifold incl screws
- 990220 Wrench
- 267500 Push fit hood with brush
- 272140 Spacer 6mm
- 271060 Backing up pad
- 272670 Flange nut

Accessories: 990271 Pin key

Hose kit Art. No: 272441



Ø 230 mm diamond cutting wheel

Type: Uryu UAG-90SB
Applications: Cutting

Suction requirement: 250 m³/h

Vacuum hose: ø 38 mm

Attachment kit Art. No: 000210

Parts in attachment kit: 312000 ø 56,0, H 40 mm

Accessories:

Hose kit Art. No: 273260