



Ø 180 mm Fibre disc

Type: Bosch GWS 20-180 / GWS 21-180 / Hilti WS 180

Applications: Grinding and sanding of metal, plastics, wood etc

Suction requirement: 250m³/h

Vacuum hose: ø 38mm

Attachment kit Art. No: 401970

Parts in attachment kit:

- 316030 Manifold incl screws
- 990220 Allen key 2,5mm
- 267500 Push fit hood with brush
- 272170 Spacer 4mm
- 272130 Spacer 3mm
- 271030 Backing up pad
- 272700 Flange nut M14 High 16

Accessories: 990271 Pin wrench

Hose kit Art. No: 273260



Ø 125 mm Fibre disc

Type: Bosch. GWS 6-115 E / 6-125 / 7352 pneumatic grinder

Applications: Grinding and sanding of metal, plastics, wood etc

Suction requirement: 250m³/h

Vacuum hose: ø 38mm

Attachment kit Art. No: 402050

Parts in attachment kit:

- 315090 Manifold incl screws
- 265040 Push fit hood with brush high 30mm
- 273170 Spindle
- 271030 Backing up pad
- 272700 Flange nut M14

Accessories: 990271 Pin wrench

Hose kit Art. No: 273260



Ø 125 mm Depressed centre Wheel

Type: Bosch. GWS 6-115 E / 6 -125 / 7352 pneumatic grinder

Applications: Grinding of weld joints, sheet metal, castings, concrete etc

Suction requirement: 250m³/h

Vacuum hose: ø 38mm

Attachment kit Art. No: 402060

Parts in attachment kit:

315090 Manifold incl screws
 990220 Allen key 2,5mm
 272643 Wheel guard 125mm
 250020 Push fit hood
 272710 Spacer 15mm
 272170 Spacer 4mm
 272680 Flange nut M14 high 21mm

Accessories: 990271 Pin wrench

Hose kit Art. No: 273260



Ø 125 mm Depressed centre Wheel

Type: Bosch. GWS 6-115 E / 6 -125 / 7352 pneumatic grinder

Applications: Grinding of weld joints, sheet metal, castings, concrete etc

Suction requirement: 250m³/h

Vacuum hose: ø 38mm

Attachment kit Art. No: 402060

Parts in attachment kit:

- 315090 Manifold incl screws
- 990220 Allen key 2,5mm
- 272643 Wheel guard 125mm
- 250020 Push fit hood
- 272710 Spacer 15mm
- 272170 Spacer 4mm
- 272680 Flange nut M14 high 21mm

Accessories: 990271 Pin wrench

Hose kit Art. No: 273260



Ø 100mm Diamond tipped cutting blade

Type: Bosch GWS 6-7-8-9-10-11-14-125C (With neck diameter 43mm)

Applications: Cutting of reinforced plastics (GRP)

Suction requirement: 200m³/h

Vacuum hose: ø 32mm

Attachment kit Art. No: 402070

Parts in attachment kit:

- 304200 Manifold incl screws
- 272320 Cover compl 100mm
- 272170 Spacer 4mm

Accessories:

- 279940 Cutting depth adjustment
- 507401 Diamond blade 100mm D=22,2mm

Hose kit Art. No: 273260



Ø 180mm Depressed centre wheel

Type: Bosch GWS 20-180 / GWS 21-180 / Hilti WS 180

Applications: Grinding of weld joints, sheet metal, castings, concrete etc

Suction requirement: 250 m³/h **Vacuum hose:** ø 38mm

Attachment kit Art. No: 402450

Parts in attachment kit:

- 316030 Manifold incl screws
- 990220 Allen key 2,5mm
- 272650 Steel wheel guard
- 250010 Push fit hood
- 272720 Spacer 12,5mm
- 272700 Flange nut M14 high 16

Accessories: 990271 Pin key

Hose kit Art. no: 273260